

# SQart

**Managerial**

**1. Desks**

**1.1. Table top with frame**

Fixed table tops – finish options:

- melamine faced chipboard (MFC), thickness 25 mm, class E1, with 2 mm edge in glue technology as standard,
- veneer – both sides of chipboard covered with veneer, thickness 25 mm, with 2 mm natural edge.

Table tops are equipped with pre-assembled metal frame. Table tops are available in following shape options: rectangular, back-rounded, double wave and both-sides rounded, and in wide range

of dimensions. Cut outs for grommets as well as media ports in various types and configurations – applicable as an option.  
Frame – made of steel profile 50 × 25 mm, powder-coated in black colour only.

**1.2. Base**

Slab end legs – finish options:

- melamine faced chipboard (MFC), total thickness 50 mm (two boards, thickness 25 mm), class E1 with 2 mm edge in glue technology as standard,

- veneer – both sides of chipboard covered with veneer, total thickness 50 mm (two boards, thickness 25 mm), with 2 mm natural edge. Fixed height 740 mm as standard, levelling in range of 15 mm.


All desks are unassembled as standard.

**Note:** Desks to be ordered separately as two parts:

- table top with pre-assembled frame,
- base.

**1.3. Product range**


**Bases**



Slab-end leg without ID cover

**Table tops**

**Rectangular**



**2. Desk extension**

**2.1 Table top with frame**

Fixed table tops – finish options:

- melamine faced chipboard (MFC), thickness 25 mm, class E1, with 2 mm edge in glue technology as standard,
- veneer – both sides of chipboard covered with veneer, thickness 25 mm, with 2 mm natural edge.

Table tops are equipped with pre-assembled metal frame. Available shape – rectangular.

Frame – made of steel profile 50 × 25 mm, powder-coated in black colour only.

**2.2 Base**

Slab end leg – finish options:

- melamine faced chipboard (MFC), total thickness 50 mm (two boards, thickness 25 mm), class E1, with 2 mm edge in glue technology as standard,
- veneer – both sides of chipboard covered with veneer, total thickness 50 mm (two boards, thickness 25 mm), with 2 mm natural edge. Fixed height 740 mm as standard, levelling in range of 15 mm.

All desk extensions are unassembled as standard.

**Note:** Desk extensions to be ordered separately as two parts:

- table top with pre-assembled frame,
- base.


## 4. Panels

### 4.1. Desk panels

Modesty, front – finish options:

- melamine faced chipboard (MFC), thickness 18 mm, class E1, with edge in glue technology as standard,
- veneer – both sides of chipboard covered with veneer, thickness 18 mm, with natural edge.

Assembly to desk frame with dedicated metal brackets in black colour only.



## 5. Pedestals

### 5.1. Pedestal versions:

- mobile (height 575 mm),
- fixed (height 740 mm) available on metal base.

Finish options:

- veneer – all elements made of chipboard both sides covered with veneer, thickness 18 mm, top of fixed pedestals, thickness 25 mm, with natural edge,
- melamine faced chipboard (MFC) / veneer – top and fronts made of chipboard both sides covered with veneer, thickness 18 mm, top

of fixed pedestals, thickness 25 mm, with natural edge. Carcass made of melamine faced chipboard (MFC), class E1, thickness 18 mm with edge in glue technology.

Types of drawers: metal (black), equipped with lock.

Types of pencil trays: plastic (black) integrated with pedestal.

All drawer types are with 80 % slide extension, except for drawers with filing frame, which are fully extendable. Pencil trays are always 100 % extendable.

All pedestals are equipped with a soft-close system and central lock with stop control plus mechanism (allows for independent pencil tray opening).

Drawers opening by 15 mm gap between drawer front and carcass (no handles).

Four Ø 35 mm castors, two equipped with brakes – applicable to mobile version.

All pedestals are fully assembled as standard.

# Technical description

## 15. Upholstered pad for cabinet back (sound-absorbing)

Total thickness 56 mm, made of chipboard, thickness 18 mm and 8 mm with non-woven fabric (polyester) with sound-absorbing properties.

## 16. Mobile sideboard

Carcass and fronts are made of melamine faced chipboard (MFC), class E1, thickness 18 mm, with edge in glue technology.

Sideboard version:

- 2 hinged doors equipped with single-point lock, and 2 drawers with 80 % slide extension, equipped with central lock
- 2 hinged doors equipped with single-point lock, and 3 drawers with 80 % slide extension, equipped with central lock


- 3 hinged doors equipped with single-point lock. Grommets available as an option.

Five Ø65 mm castors without brakes. Metal drawers with soft-close system and stop control plus function (only one drawer can be pulled out at a time and pulling out of all drawers can be locked after the sideboard is tilted) available as standard. Sideboard with drawers has a built-in pencil drawer inside upper drawer, as standard.

### Handles:

- metal handle in alu color only.
  - wooden handle in natural beech, natural oak or enameled on white or black as an option.
- Sideboard is fully assembled as standard.

### 16.1. Product range



2 hinged door + 2 drawers



2 hinged door + 3 drawers



3 hinged door

## 17. Technical regulations, certificates and quality marks (for selected product configurations)

GS safety certificate,  
COBRABID approved compliance with: EN 527-1, EN 527-2, EN 14073-2.

# Finishes

## Melamine



Grey

Light

## Veneer

